


grapeworks NZ



2021
Product Catalogue

grapeworks NZ

Air knife bottle dryers	8	Fillers –Automatic	12
Aphrometers, Disgorging Tools, Crown Testing	23	Hoods – Sparlux Custom Made	29-30
Bottle Rinsers	15	Hoods – Stock Colours & Large Hoods	31-32
Bottle Warmers and Pasteurisers	22	Hooders - Automatic	22
Carton Weight Checker	17	Labelling Machines – Automatic	13
Capsules	33-34	Labelling Machines – Thermal Label Sleeve	13
Cellaring – Cellastac Bottle Tray	23	Muselets – Stock Colours and Custom made	27-28
Chillers	8	Neck Freezers	19
Crushpad & Processing equipment	6-7	Packing Lines	18
Conveyors and Accumulation	17	Presses – Membrane, Open, Closed and Dual	4-5
Corking and Wiring - manual, semi auto	11	Pumps	7
Cork removal - automatic	11	Riddling Machines & cages	19
Covers – Breathable & Non breathable ferment covers	24	Robotics	19
Crown Seals and Bidules for Sparkling Wine	25	Screw Cappers – manual & auto	9
Crown Sealers – manual & semi-auto	9	Shaker Agitator for Sparkling Wine	21
Disgorging, Dosage and Levelling	21	Washers and Dryers	22
Feeders - Cork, screw cap, crown seal	11	Wax & Wax Sealing Machine	35
Fillers -Bag in Box, Keg & Can	10	Quality Control – fill level, closure, label, weight	16
Fillers – Manual, semi-auto & counter pressure	10		



FOR ALL SALES, SERVICE SUPPORT AND ENQUIRY

Grapeworks New Zealand sales
04 390 3577

Email: info@grapeworks.co.nz
Grapeworks.co.nz

Free SO₂ is just the beginning.



As world leaders in biosensor technology, our reputation is built on precision.

That's why you can trust the Sentia™ hand-held wine analyzer to accurately measure free SO₂ levels in your post-fermentation wine. No sample preparation. No reagent preparation. No calibration. No special training required. Just reliable test results in less than a minute, wherever and whenever you need them. And with more key wine analysis tests on the way, free SO₂ is just the beginning.

The Sentia™ hand-held wine analyzer is available now through Grapeworks New Zealand.

**THE POWER OF A LAB
IN THE PALM OF YOUR HAND.**



Europress. The brand trusted by winemakers

For over 45 years, German designed and built Europress by Scharfenberger has been setting the standard in gentle grape processing. Europress is well known for its state of the art technology, continuous development and innovation which has made it the press winemakers turn to. There's a range of presses to suit your production requirements from 6hl to 320hl.



S Scharfenberger
Maschinenbau



The Europress EP range

- All stainless steel design
- Drive motor with rotational speed, clockwise and counter clockwise rotation
- Membranes made of food-resistant material, heat resistant up to 70 °C
- High volume vacuum pump with double function: pre-blower and evacuation
- Internal compressed air supply with high-performance compressor
- New fully automatic digital control system with 24 freely selectable pressing programs
- Large 10" touch screen monitor with intuitive menu navigation and easy quick-start
- Polished press drum
- Large press drum opening
- Lateral parts of the press are hinged and folded down (up to 52 hl)
- Membrane fastening strips specially designed for decompaction
- Pomace discharge elements below the membrane for quick emptying
- Large stainless steel juice tray
- Drum sizes from 15 to 65 hl

Available in 3 options



The NEW Europress EQ range

- All stainless steel design
- Polished press drum for easy cleaning
- Solid frame with fixed side parts
- Internal compressed air supply with high-performance compressor
- High volume vacuum pump with double function:
 - Pre-blower and evacuation
- Drive motor with rotational speed, clockwise and counter clockwise rotation
- New fully automatic digital control system with 12 selectable pressing programs
- Drum sizes from 15hl to 60hl



Available in 2 options



OPEN - STYLE
PRESS SYSTEM



CLOSED - STYLE
PRESS SYSTEM

MADE IN
GERMANY

Crushpad

Our grape processing systems include a line of high quality equipment which are easy to operate and maintain. We offer destemmers, sorting tables, pumps and more.



Receival Hopper

With inclined auger and dejuicing. Made to specification. Image shown 25 t/h unit.



Vibrating Sorting Table

Vibrating discharge with large infill hopper and two frequency drive motors. De-juicing chamber with drain. Up to 6 t/h. Lengths: 2,600mm, 3,600mm & 5,000mm.



Destemmers – AS Range

Efficient and gentle destemming. Available in 7 different sizes with a flow-rate between 3 and 80 t/h.



Euroselect Destemmer

Developed for gentle destemming and sorting to preserve grape quality. Adjustable options to match grape varieties via frequency controlled belt drive and grading fingers. Up to 5 t/h.



Whole Cluster Transport Conveyor

Infeed hopper with juice drain outlet. Two belt widths and Five conveying height options. Easy to clean.



Roller Sorter Model RS

Scharfenberger roller sorter separates MOG with gentle rolling motion. Use in combination with Scharfenberger destemmer AS 5, AS 10 and AS 15 (option).

Specifications

- Stainless steel construction
- Food grade rollers
- Variable frequency motor
- Adjustable roller spacing



Euroselect Optical Sorter

Gentle handling of the harvest combined with optimum preparation and sorting are important factors for the best possible grape quality. Healthy and absolutely ripe berries are the basis for producing outstanding wines.



CAMERA AND SORTING UNIT FEATURES

Grapes are rapidly analysed & sorted in free fall by 4 HD-cameras. Detection of visible colours (RGB) and infrared (IR). Chroma-function with variable adjustable colour detection from surface to core. Programmable digital control with touchscreen (memory for 8 programs). Teaching-function for detection of present colours. 16 rejection nozzles per camera. Ready for external air supply.



Fruit Press Option

Europress provides a drain set option (Model T) designed for fruit and apple pressing.

Small Volume Crushing / Destemming



Available from 500 - 2000 kg/pH

ENO 20

Destemmer motor with two rollers and ss centrifugal pump for transfer of must. Enamelled sheet or stainless steel. Aluminium roller standard or optional rubber roller.

- HP 2 electric motor, with starting capacitor
- Centrifugal pump in stainless steel
- Basket in stainless steel
- Self-adjusting roller length 220mm
- Safety guards in smalted iron or stainless steel



JOLLY 15 E

Destemmer motor equipped with ss centrifugal pump for transfer of must. Enamelled sheet or stainless steel. The machine is able to be opened centrally for extraction of the basket, ease of maintenance and cleaning.

- Capacity 2000 kg/h
- 2 HP electric motor with starting capacitor
- Centrifugal pump in stainless steel
- Basket in stainless steel
- Safety guards in s/s or smalted iron

Pumps

LOBE – Low Speed Pump by Cazaux

The only pump you'll ever need - suitable for every job from pumping must, filtration, bottling and high volume tank transfers.



Open Throat Must Pump

- Ideal for transferring destemmed/stemmed grape must and a high proportion of whole grapes.
- Compact, low profile and manoeuvrable.

Sizes from 3000 - 75,000 L/h

Options: run dry protection and level control.



Characteristics

- Wide flow range from 1000L up to 100,000L depending on the model
- Multifunction lobular pump in alimentary nitrile
- Very slow rotation speed (max. 500 rpm): delicate with the product
- Pump housing in 316L stainless steel
- Robust
- Transfer of small solid particles
- Low oxygen dissolution
- Self aspiration: 8 meters
- Electronic regulator
- Very silent
- High pressure (up to 10 bar according to the model) and temperature resistant (-10°C, 90°C)
- Hygienic: easy cleaning

Options

- Cable or remote control with flow display
- Pressure regulator

- Pressure switch for barrel filling
- Integrated electromagnetic flowmeter
- Tactil display
- Motorised or pneumatic valve
- Atex (contact us)

Use

- All transfers: from the reception of destemmed grapes to wine bottling

TESTIMONIAL

JORGE HENRY – Senior Operations Manager ZILZIE WINES

"We just wanted to share with you the great experience we had with the Cazaux LOB600 pump during Vintage 2020 at Zilzie Wines. We acquired the pump with the purpose of pumping red fermenters to move large volumes of both wine, skins and seeds. Pumping large volumes through 4" pipes over significant distances the LOB600 maintained good flow and pressure. The pump is very easy to operate and clean and the stainless steel trolley is surprisingly easy to move around the winery for such a large pump.

Our cellar team was pleasantly impressed with the capacity of the LOB600 and we are considering adding more in the future."

Chillers

Winus offer a large range of high quality chillers designed to deliver reliable and consistent cooling and warming solutions for the beverage industry. A large range of standard units capable of handling from the smallest volumes up to 260,000 Litres.

WINUS s.r.l.



C2-W3

Glycol water chiller complete with circulation pump, storage tank and hydraulic accessories. Fitted with 2 thermostats for measurement and control of water and product temperature. Available also in "R" version for production of warm water.

WINUS C2-W3 2T

Ready to connect to 2 units.
Capacity 9,800L.

WINUS C2-W3 4T

Ready to connect to 4 units.
Capacity 9,800L.



C2-W5 & C2-W9

C2-W5 and C2-W9 coolers are equipped with thermostat and probe for automatic temperature control of the product in one tank. These models come with internal circulation pump, cooled liquid storage tank, and all the safety components required for the hydraulic and cooling system. Available also in "R" version for production of warm water.

WINUS C2-W5 4T


Ready to connect to 4 units. Capacity 18,000L.

WINUS C2-W9 4T

Ready to connect to 4 units. Capacity 23,000L.

Tube In Tube, Immersion Coils & Plate Heat Exchangers

Tubular heat exchangers are composed of two concentric tubes in which thermal exchange occurs in between the product that flows through the internal pipe and the refrigerant that runs through the external pipe. These heat exchangers permit rapid lowering of product temperature and are designed for the working of fluid substances such as viscous substances like destemmed or crushed grapes and other fruit.



Manual & Semi Auto Equipment

Pneumatic Crown Sealer

Up to 300 BPH.

BTC500



Electric Pneumatic Screw Capper

Free Standing Screw Cap Applicators, feature full Stainless Steel Head.

Bottle range 250ml to 2L.

Up to 500 BPH.

Free Standing Unit

PG2010V

Bench Top Screw Capper available.



DOSA-2N

Inert gas dosing unit with two dosing valve.

DOSA-2N

Pneumatic Assisted Manual Wirer

Pneumatic Muselet Applicator. Pneumatic bottle lifting. Manual Spindle handle wiring twist. Handles bottles 375ml to 1.5 litres. 250 BPH.

WIREM1P



Semi-Auto Wirer

Wire-hooding unit with pneumatic lift and auto wire twisting bottles from 375ml to 1.5 litres. Electric/pneumatic. Up to 400 BPH.

WIRESA1



Cap Spinners

Capsule Roll-On Head On Pedestal or Bench Top Unit. Suitable for applying poly laminate/tin/aluminium capsules and set up for the possible capsule flat-roll attachment.

BTCAPSPIN



Air Knife Bottle Dryers

Grapeworks supplies and installs air knives to specification.

Air knives can direct air flow to the precise spot that you need it without introducing other contaminants. Air velocity can be adjusted in the field with an optional butterfly or dampener valve to provide the appropriate pressure and airstream as required by the process.

Multiple air knife and air nozzle combinations can be connected to a manifold assembly, which in turn is powered by a single motor/blower system. Call for more information and specifications.

Manual & Semi Auto Fillers



Manual Bottle Fillers

4 and 6 head Units. 500ml to 2L bottles. Articulated nozzles for insertion and removal of bottles. Options: Electric Level Probe, Pump, Plate & Frame Filter.

MFIL4 / MFIL6EP



Monoblock Gravity Filler

Semi automatic for still wine or spirits. Monoblock with crown, cork or screw capper. 4 valves, drop-down timer, for automatic filling cycle, corker & Hopper.

PG2010/M



Semi-Automatic Gravity Filling Monoblock

6 valves rotary filler for filling with gravity system, automatic movement, pneumatic bottles lifting. 10 cavity rinser. Mechanical corker machine for T-corks with push button operation and pneumatic bottles lifting.

EURO 1061S



Large Format Filler

Monoblock Large Format Filler with Vacuum Corker. For 3, 6 and 9L bottles.

TAVAFIL

Vacuum and bench top versions available.

Counter Pressure Fillers



Semi-Automatic

Barida ISO 4 semi-auto carbonated beverage filler is suitable for sparkling wines, beer, soft drinks and mineral water. Fill glass or PET bottles from 300ml to 1.5lt.




ISO 6/1/1-A - Automated Monobloc

The ISO 6/1/1-A integrates the operations of; isobaric filling with 6 valves, closure with champagne corks and application of muselets. Different phases and processing times can be set through the electronic operator panel. 750ml - 650/700 BPH, 500ml - 650/750 BPH. 375ml - 800/900 BPH. Available in alternative model options.

Grapeworks NZ supplies a complete range of counter pressure fillers to suit all requirements for filling and closing bottles.

Bag In Box



Performs the fill cycle: vacuum; filling; nitrogen injection. The operator selects the desired volume. The possibility to choose between different types of flow sensors ensure the optimal use of the machinery in applications such as wine, fruit juice, oil, cream, etc.

Keg Washer & Filler



The OMBF Washing & Filling Monobloc for kegs 20, 30 & 50L.

Can Filler & Sealer



6 head beer can filler with two station sealer. 500 cans per hour.

Corking, Capping & Wiring



Enolmechanica Multi Function Screw Cap, Crown or Corker

The MT-CX Fully auto unit can be supplied in three versions: Screw capper, crown sealer or corker. Can also be supplied as a multi function unit with any two of the three functions listed. 2500 BPH.



Semi-Automatic Corking Machine

Pneumatic bottle lifter. Auto cork distribution by top hopper. 900 BPH. Options: Nitrogen Injection Vacuum Corking.

Still Wine PG2010
Sparkling PG2010S



Monobloc Semi-Auto Corker Wirer

Semi-Automatic Corker Wirer. Pneumatic bottle lift. Corks top feeding pipe. Approx. 800 BPH.

PG2010/S1



Semi Automatic Corker - T-stoppers

Free Standing Wheeled semi-automatic corker machine in stainless steel. Pneumatic bottles lifting and push button operation. Automatic distribution of the corks into the chute. Suitable for one format of cork.

PG2010-T

Cork Removal



Auto Cork Remover

Removes corks from bottled wine. Conveyor fed. Approx. 1800-2000 BPH.

Cap & Cork Feeders



Feeder With Vibrator

Cork, screw cap, crown seal 90,000 c/h. Capacity: 200 – 800 litres.

ALM-ZEV1



Capsules Feeder

Aluminium - PVC 12,000 c/h.

ALC

GT Filler

Quality at an economical price

The GT filler is compact, easy to operate and offers the flexibility of fully automatic, standalone operation or can be integrated into a fully automatic bottling line.

The GT Filler has been designed for smaller facilities and vertically integrated producers.

Choose from:

- Vacuum filling for greater speed or;
- Gravity filling under inert gas for gentle, bottle shock free packaging
- Single or two turret combination closure



The GT filler's specification is fully customisable to suit your operations.

Options include:

- Cork
- ROPP/Stelvin
- Crown seal
- GPI screw cap or;
- Glass and cork T-top stoppers
- 8 Head from 450 – 1400 BPH
- 12 Head from 1500 – 2000 BPH

Bottle sizes can be specified from:

- Ø55mm by 240mm high through to Ø115mm by 380mm high
- Very quick, simple changes between bottle sizes with minimal change parts.

Safety:

- Fully guarded, to comply with all ANZ safety standards.



The GT Filler is supported by our experienced technicians from operator training to maintenance, for years of reliable support.

Linear Labellers

CDA Automatic Labellers

CDA has been specialising in wine bottle labelling since 1991 and is recognised internationally for its specific know-how and machine innovation.



Lystop 2 Auto Labeller

The Lystop Automatic labelling machine has options for capsuling or hooding. 3 label dispensing heads. Up to 2500 BPH.




Ninette Auto Labeller

The Ninette Automatic labelling machine is an affordable entry level labeller with motorized conveyor and collection table. Options available for 1 or 2 dispensers able to apply 1 to 3 labels depending on configuration. 600 to 800 BPH.

Semi-Auto Labellers

Label Application for cylindrical rectangular and other shaped containers

The perfect semi-automatic labelling solution for cylindrical containers including bottles, cans, jars and wide range of flat surfaces such as rectangular or tapered bottles, boxes, packages, bags, pouches, lids, tins and much more.



Call Grapeworks for a complete range of labellers and options.

Thermal Label Sleeveing

The sleeve is a moulded tubular thermal plastic film with great resistance and flexibility and can be applied quickly, both as a decoration of 360 degrees and a guarantee seal on an endless series of containers of different materials and shapes.



morton
VERONELLA-VERONA

Steam or Hot Air Tunnels

Steam thermal-retraction tunnel for thermal retraction of seals and thermal plastic sleeves for glass, PET or metal bottles.



Rotary Labellers

KUBE High Speed Labellers

One technology, an infinity of label types.



The Kube labeling machine is suitable for packaging lines from 1,000 to 25,000 BPH with the application of adhesive labels, cold glue, hot melt glue or mixed.



The Carousel can be equipped with multiple fixed labelling stations or mobile modules. The touch screen interface is provided with user friendly software and remote control system. All the process parameters can be controlled from any device, tablets and smart phones.

Models: K20 K50 K60

Service & Installation

Over 20 years' experience installing, servicing and supplying to the wine and beverage industries.



Experienced and qualified technicians are available for the maintenance and service of grape presses and other machinery including pumps, destemmers, bottling, receival and sorting equipment.

Don't get caught out with a costly halt to production, our technicians can trouble shoot your equipment, pinpointing and eliminating potential problems.

The team can also provide project management for installation and expert advice when you choose to upgrade.

- Advisory services
- Installation
- Service
- Maintenance
- Repair

Contact the team today to book a service.

Email:
info@grapeworks.co.nz

Bottle Rinsers

Automatic

PERRIER

A unique rinsing system specifically designed for the wine industry. Perrier's patented bottle's neck handling system requires less maintenance with its unique through passage valve without gaskets or springs.

Features

- Unique neck gripping system
- Bottle rotation rinsing
- Individual collection and recycling of rinsing product
- Removes drips from bottle neck
- Open design – easy to clean: full drainage system
- Permanent injection test which guarantees all bottles are rinsed.



PERRIER
bottling machines

TARDITO

Linear automatic rinsing machine with automatic loading and unloading of the bottles, works with a system of water injection.

Machine is designed to rinse the inside of new bottles with pre-filtered water, before filling, without wetting the outside. Water is filtered using an Aisi316 stainless steel 60µm filter cartridge.

Production 800 BPH.



POGGIO

Rinser Machine

Water and air automatic rotary machines are available with fixed or mobile nozzles and range of accessories such as special nozzles and recirculation systems. Can be single or combined treatments. Available in a fully electronic version allowing personalised cycles.

Both available with production speeds from 600 BPH to 35,000 BPH.

Semi-Automatic

TARDITO

Tardito manual & semi-auto models come in 4, 10 and 20 outlets. Each model is available in 4 configurations:

- Straight water/liquid rinse with filter housing (connected to water/liquid supply, waste goes to drain)
- Straight air/gas rinser
- Water/liquid and air/gas rinse – (water goes to drain)
- Water/liquid with recycling pump, tank and filter.

For gas rinse option use air, Nitrogen, CO2 etc.

No bottle - no rinse. 700 to 1200 BPH.

Semi-auto air rinse available.

Call Grapeworks for high-speed bottle rinser options.



SM4R
SMP4
Water Recycling Tank



TARTP10
TARTP10/R
Water Recycling Tank

Digital Control Quality Control Systems

**DIGITAL
CONTROL**

 Inspection Systems
Smart Motion Devices


CE Label Inspection

This vision system checks the correct labelling or decoration of bottles, cans or others containers to 360°. It's an autonomous system and can be located in any bottling line before packing machine. It can handle a large amount of codes and recipes. The system checks the corresponding correct format in production, placement, orientation and integrity of all labels and seals. The vision system solves problems relating to presentation of the product ensures the best image to the packed product.

Version Available For Label inspection directly in labelling machine

It checks the correct labelling of bottles or other containers directly in labelling machine. Thanks to high definition camera and specific illuminators the system can check the correct position, orientation and integrity of the label. It can handle a large amount of codes and recipes. The system can be composed by several cameras to inspect more labels at the same time. It can also be connected to an ejection system to discard the faulty containers.

Other Inspection Systems, including inspecting neck finish and empty bottles available on request.



CMTL NT Level and cap inspection

Vision System able to verify correct product filling inside glass, PET and HDPE containers of any shape and colour. It's an autonomous system, can be placed in any bottling line after filling machine. Can be expanded to make other checks for example: cap inspection; capsule or legal seal-mark presence control. It can handle a large amount of codes and recipes. It is the best choice if you need accurate information about the filling machine performance in real time with graphs and statistics.

CMTL Smart Level inspection with single camera

This system, placed after the filling machine and the closure system, uses a single camera to verify the filling level of liquids in glass, PET or HDPE containers. It is used also to verify the cap presence. The system is very compact and easy to install in existing line and allows the user to monitor the correct operation of filling system. It is provided with thresholds of minimum and maximum levels in self learning and has a motorized movement.



Ejection Systems Progressive and Push – REJ-8-V

The progressive diverter REJ-8-V is used for the ejection of defective products in production line. This system solves the side diversion problem and guarantees container stability regardless of shape, filling level and production speed.



Conveyors & Accumulation



End of Line Accumulation & Carton Packing Table



Multi Lane In-feed Accumulation Conveyor



Conveyor Cross-Over Transfer



Rotating In-Feed & Out-Feed Accumulation Tables



First In First Out Conveyor Accumulation Table



90° Corner for Carton Conveyors



Automat Carton Weight Checker

Designed to check the weight of full boxes in transit on the carton conveyor. Weighing down to 50g on a full carton allows you to check accurately for missing bottles or low fill bottles inside the carton.

Complete unit with incorporated carton ejector, integrated alarms and conveyor stopping features.

Packing

Uniform Carton Sealing Machine

Fast and efficient, this carton sealer is guaranteed to increase productivity. Featuring a rugged steel construction which is designed for round-the-clock operation, this is one of the most durable and reliable carton sealers on the market. Catering to a variety of box sizes, it can be quickly and easily adjusted to suit the size of your carton.

FCS-10U Carton Sealing Machine



Semi-Automatic Pallet Wrapping Machine

This force-to-load stretch wrapping machine is the perfect entry point to automated pallet wrapping. Featuring a pre-programmed, one-button operation, it can be operated with zero experience and is ideal for businesses wrapping 1 - 20 pallets per day.

- Automatic one touch operation
- Automatic pallet height detection
- Soft start and stop for light loads
- Adjustable film tension

FSW-10 Pallet Wrapping Machine



MOBILE CONVEYOR SYSTEM

This conveyor will work seamlessly with any box sealing machine, simply push your un-sealed box through the machine and it will roll to the desired location or the next machine.

- Gravity conveyor
- Extendable
- Height adjustable
- Locking wheels

EXE-103

Automated Packing Lines

COSMAPACK

Cosmapack produce a large range of high quality packing equipment including depalletisers, carton packers, divider inserters, carton sealers and palletisers. Their range caters for production speeds of 2,500 - 15,00 BPH.



INC1211

INC1211 is a case glueing machine, able to close bottom and top flaps of a carton by means of hot melt glue application up to 3000 boxes/hour.



WA

WA is the wrap around line of Cosmapack's cartoning machines. Designed for medium production speeds up to 30 cases/min. A partition inserter module is available. WA can also handle carton trays.



CARTESIO2 DEPALLETISER

The Cartesio2 depalletiser uses an innovative depalletisation system. The product is taken one row at a time with specific gripping devices such as pliers, suction cups or magnets depending on the application. An optical scanning system detects the position of the row to be loaded directly on to the conveyor, providing a space and cost effective alternative to conventional depalletisers.



Mondo and Scaglione packaging offers equipment for bottling lines including depalletising, case erectors, partition inserters, case packers, case sealers & palletisers, as individual components or as complete monoblocs.

Roto-Jolly Riddling Machines

LAFAL
ROTO - JOLLY

Roto-Jolly's new generation of automatic rotation machines, set a new standard in design, durability and ease of use. Roto-Jolly's rotation system eliminates the need for drive screws and chains for simplicity and reliability. The four and six cage units have self locking

top gates for safety. Roto-Jolly's are freestanding and are designed with an expandable frame & controller to meet future requirements. Roto-Jolly is the only double cage machine that can be easily double stacked to create a 4 cage unit without engineering modifications.

Roto-Jolly Sizes

Available in Single, Double, Quad and Six up formats.

Software

The standard software control package comprises 4 pre-programmed cycles and the facility for 3 additional custom programs. Base controller can run up to 48 rotators (ie: 12 x 4 cage quadra machines).

Cages and Capacity

Simple to load and unload, Lafal riddling cages fit most common older style machines.

- Cages fold down for storage or transport.
- Roto-Jolly Cages – Suitable for Roto-Jolly machine holds 504 bottles.
- BAS/VLM Cages - Suitable for BAS & VLM 8 cage machines Holds 504 bottles.

See Grapeworks complete sparkling production lines and equipment.



Champagel Neck Freezers


Champagel is the world leader in neck freezing and sparkling wine bottle handling systems and automation.

CHAMPAGEL



High Speed Linear Neck Freezers

1200 – 12000 BPH machines with auto loading and unloading options.



Champagel Neck Freezers

350 BPH R56	1200 BPH R180
500 BPH R80	1400 BPH R216
750 BPH R114	1600 BPH R240
1000 BPH R150	

Allians Robotics

Allians Robotics supplies robotic bottle handling solutions. Common solutions include loading and unloading tirage cages/bins, from tirage line to riddling cage, riddling cage to neck freezer. Other solutions are available for transferring bottles, packing upright and lay flat cartons with finished wine, packing pallets of full cartons in any format and packing pallets.



ALLIANS
ROBOTICS

Disgorging, Dosage & Levelling

Grapeworks is the New Zealand and Australian Distributor for Barida, supplying a complete range of disgorging, dosage and levelling equipment from manual to fully integrated high speed lines.



Poker Series

The Poker range comprises automatic monobloc POKER 400, 700 and 900, with respective bottle processing speeds. Each unit disgorges, dosages and levels. Each have inlet and discharge starwheels and guide conveyors.

Poker 400 (400BPH), Poker 700 (700BPH), Poker 900 (700BPH), Apha (1100-1200 BPH).

Poker 400 | Poker 700 | Poker 900 | Apha.



Poker 400 Monobloc with Corker & Wirer



Poker 900 Monobloc with Disgorge, Dosage & Levelling



Atlas M

Disgorging, Dosage and Levelling
Ideal for small producers. Semi-auto disgorging & dosage levelling.
120-150BPH.

ATLASM

Barida DG Series 4 and 6

Disgorging

Automatic disgorging with four or six working stations.

Throughput from 1.200 to 2.200 BPH.
(Not Shown).



MUIMA TG Auto Monobloc

Automatic de-crowning assembly, disgorging-dosing-levelling monobloc. Bottles are automatically transferred to the different processing stations.

The unit incorporates a corker and wire hooder. Autonomous conveyor.

Output approximately 500 BPH.



TDD Grilliat, based in the heart of Champagne, build a range of high quality disgorging and dosage equipment. They have a long history and vast experience working in Champagne and offer well built, simple to operate low maintenance machinery.



Grapeworks supplies spare parts for TDD machines.

Disgorging, Dosage & Levelling



Perrier is a leading French manufacturer of premium quality bottling, disgorging and dosage equipment. These machines are known for their precision tooling and construction using of the highest quality materials. Perrier is installed in some of the worlds largest and most prestigious producers of still and sparkling beverages. Equipment size starts at 1000BPH machines for bottling, disgorging, dosage and mixing for sparkling wine production.



Disgorging, Dosage & Agitating

A disgorging system especially designed for automatic lines, with outputs from 1,000 to 20,000 BPH.

- PERRIER patented bottle's neck handling system
- Exhaust pipe with vacuum & temperature control
- Partial emptying, dosing & levelling valves are still fixed
- Agitating using four revolutions
- Easy to clean design

Shaker/Agitator

Automatic mixers for sparkling wine production. Available brands include Barida, Perrier, TDD and OMBF.

Call for more information on suitable machines for your application.



Cork Orientation

Sparkling Cork Orientator

Sparkling cork orientator and feeder for semi and automatic machines.

Auto Corking, Wiring, Hooding & Capsuling



Nortan specialises in bottling line machines for wirehooding, sparkling hooders, polyam, tin, PVC capsule application and tamper seals.



Minerva 80 with Magazine



Unicap

Wire Hooding and Corking Wirers

Automatic wirehooding machines and monobloc corker wirers.

Capsule Application Units for dispensing and applying sparkling wine hoods, still wine polyam, tin and PVC capsules.

Thermal Label Sleeveing Nortan also supplies thermal label sleeveing machines and steam and hot air tunnels.



Prisma 12+16+16



Bottle Washers & Dryers

Tardito semi-auto and high speed fully automated washer dryers are capable of handling all bottle sizes and bottle styles. Machines can be built to meet your requirements and speed. 500 to 18,000+.



Bottle Warmers & Pasteurisers

Tardito warmers bring cold bottled wine up to labelling temperature, eliminating condensation under labels and allowing self-adhesive and glued labels perfect adhesion and presentation. Machine shown is also available with a heat exchanger suitable for pasteurising.



Cellastac BOTTLE STORAGE SYSTEMS

Australia's leading modular wine storage system.

Cella-Stac puts sensible technology to work in your cellar and offers you the following advantages.



CellaStac Minimises Injuries

CellaStac trays can be hand stacked and unstacked at optimum working heights to prevent bend-and-lift injuries. Individual bottle cells contain any breakages, reducing the risk of hand injuries.

CellaStac Saves Handling Costs

CellaStac trays are quick to pack and unpack saving time and labour costs. Full pallets can be stacked on top of each other for warehouse efficiency.

CellaStac Reduces Damage

Every bottle is contained within its own cell reducing the risk of damage caused by knocks, rubbing or leakages.

CellaStac Is Easy to Clean

CellaStac is made from durable food grade plastic so any ullage, spills or broken glass can be easily washed off.

CellaStac Quick and Accurate Inventory Control

CellaStac CS48 stacks 48 bottles (4 doz) to a tray, allowing quick and accurate stock control.

CellaStac Saves Space

500 trays pack on one pallet space x 1.8m high – storage for 24,000 bottles.

CellaStac–Durable, Long-Life & Economical

CellaStac is manufactured from durable plastics and has a life expectancy of over 15 years.

CellaStac Range

CS48 48 Bottle Tray - for most common bottle shapes.
Pallet size (1200mm x 1200mm)

CS40 40 Bottle Tray - for Sparkling and Premium Burgundy.
Pallet size (1200mm x 1200mm)

CSE40 40 Bottle Tray - for most common bottle shapes.
Suits NZ, USA and Japanese pallet size (1000mm x 1200mm).

Sparkling Wine Small Tools

Pressure Testing Aphrometers

Aphrometers for measuring bottle pressure in sparkling wine. Measures in 0.5 bar increments.

Crown Seal Version

APHRO2

Cork Version

APHROCORK



Crown Testing

Tirage and final closure fitting tool for checking the correct application of Pe.Di crown seals
Stainless steel crown testing

TCTOOLSS

Aluminium & STD steel crown testing.

TCTOOLSTD



Disgorging

Hand Disgorging Tool

For removal of tirage crown seals.

DISGKEY



Disgorging

Disgorging Stand

Stand with key & disgorging shute.

DISGSTAND



Covertec Covers



Breathable & Non-Breathable Covers

FOOD GRADE ART.3 EU REG NO.1935/2004

Ideal for protecting food stuffs, produce and from insects, vermin and contaminants. Breathable covers allow for CO2 release. Made from nonwoven polypropylene with an elastic draw string. Non-Breathable covers made from polyester with an elastic draw string.

SQUARE	BREATHABLE	NON-BREATHABLE
Covers Bin size	Code	Code
1200mm ² (47"²)	FMS1212	NBS1212
1500mm ² (59"²)	FMS1515	NBS1515
1800mm ² (72"²)	FMS1818	NBS1818
2100mm ² (82"²)	FMS2121	NBS2121
2500mm ² (98"²)	FMS2525	NBS2525
2600mm ² (102"²)	FMS2626	NBS2626



BREATHABLE

RECTANGLE	BREATHABLE	NON-BREATHABLE
Covers Bin size	Code	Code
1000 x 1200mm (39 x 47")	FMR1012	NBR1012
1100 x 2100mm (43 x 82")	FMR1121	NBR1121
1200 x 2200mm (47 x 86")	FMR1222	NBR1222
1500 x 1800mm (59 x 71")	FMR1518	NBR1518
1500 x 3000mm (59 x 118")	FMR1530	NBR1530
1800 x 2600mm (71 x 102")	FMR1826	NBR1826
1800 x 3000mm (71 x 118")	FMR1830	NBR1830
2500 x 3000mm (98 x 118")	FMR2530	NBR2530



NON-BREATHABLE

ROUND	BREATHABLE	NON-BREATHABLE
Covers Bin size	Code	Code
850mm ø (33" ø)	FMH06	NBH06
1050mm ø (41" ø)	FMH08	NBH08
1150mm ø (45" ø)	FMH09	NBH09
1350mm ø (53" ø)	FMH011	NBH011
1550mm ø (61" ø)	FMH013	NBH013
1750mm ø (69" ø)	FMH015	NBH015
2050mm ø (81" ø)	FMH018	NBH018
2350mm ø (92" ø)	FMH021	NBH021
2650mm ø (104" ø)	FMH024	NBH024
3050mm ø (120" ø)	FMH028	NBH028



Square and Rectangular: 60mm satin hem & elastic drawstrings. Covers include a 200mm side skirt and corner openings for insertion of conduit to create lifting frame.

Round Covers: Round covers have elastic drawstrings & a 60mm satin hem to allow the insertion of conduit to create a lifting frame. Use 20mm ø conduit.


Hoop size can be made as small or as large as the diameter will allow to suit your fermentation vat. Use 20mm ø conduit. Conduit can be purchased from your local hardware store or order direct from Grapeworks cut to size.



Stock Crown Seals

The Ideal Crown Seal For Tirage & Final Closure

Stainless Steel – OXYSORB



New
Product

NEW CROWN SEAL - OXYSORB LINER

The "Active" Barrier against oxygen. Oxsorb is the first "active" liner used for secondary fermentation. Thanks to the sulphites it contains, it actively absorbs the oxygen during osmotic exchange, preventing this from entering the bottle and coming into contact with the wine. The Oxsorb liner preserves freshness & protects wine sensitive to oxygen.

Silver / Gold
TCSOXY-SIL
Boxes of 6250

PE.DI is a world leader in production of high quality PVC free crown seals made to protect your sparkling wine during tirage and final closure. Custom colours available. 29mm diameter. **Volume Discounts Apply. Please Call.**

Aluminium

Aluminium crown seals with TOP+ liner

Will not rust, easy to apply. Recommended for tirage and final closure (non-magnetic).

Black
TCAL-BLK

Gold
TCAL-G

Red
TCAL-R

Silver
TCAL-SIL

White
TCAL-W

Boxes of 6250
Bag of 1000



Standard Steel

For Tirage Only

Standard steel crown seals with TOP+

Steel with 4 layers of tin for corrosion resistance. Recommended as a tirage closure (magnetic). Colour changes annually for vintage inventory control.

Multi
TCSTD

Black
TCSTD-BK

Gold
TCSTD-GO

Silver
TCSTD-SI

Boxes of 6250
Bag of 1000



Stainless Steel

Stainless steel crown seals with TOPZ LINER

Provides a low osmotic potential, recommended for longer term tirage and as a final closure. Suggested for automatic bottling facilities (magnetic).

Black **TCSSTZ-BK**

Gold **TCSSTZ-GO**

Red **TCSSTZ-RD**

Silver **TCSSTZ-SI**

Boxes of 6250
Bag of 1000



Crown Seal Inlay Specifications

TOPZ

Recommended for medium to long term ageing - 60 months.

Ideal for warmer, riper vintages with base wines tending to early evolution/ripening.

Osmotic potential - 0.18Cm3 of CO2 per 24 hours.

TOP+

Suggested for medium term ageing - 48 months.

Suggested liner when slightly higher micro-oxygenation is required.

Osmotic potential - 0.26 Cm3 of CO2 per 24 hours.

Other liners available on request - minimum volumes will apply.

Crown Seals with Incorporated Bidules

Injected Polyethylene bidule inlay. Recommended for tirage.

Standard Steel Crown with built in Bidule

TCSTDBID

Boxes of 6000
Bag of 1000



Aluminium Crown with built in Bidule

TCALIBID

Boxes of 6000
Bag of 1000



Bidules

Injection Moulded Polyethylene Bidule

TCBID

Boxes lots of 12,500
Bag of 1000



Stock Crown Seals

PE-DI perfection



Genuine PE-DI Assurance

Cutting-edge printing technology allows virtually endless customisation.

Suited to high-end beverages such as craft beers, sparkling wines, aromatic wines, spring water or juices.
Custom crowns now available from as little as 6250 units
Ideal for short runs and promotions.

Available in 29mm and 36mm diameter for Jeroboam (3 litre).



ISO 9001
ISO 14001
FSSC 22000
BUREAU VERITAS
Certification



PE-DI and PEDIFRANCE products comply with the current international law provisions regulating the manufacture of products to be used in the food and beverages packaging industry, or more precisely:

- Regulation EC 1935/2004

- Regulation EC 1895/2005/
- Regulation EU 10/2011/EC and subsequent modification and integrations
- FDA Methods 177.1210
- Mercosur Resolution /GMC/RES N° 32/07

Stock Muselets Made in Australia

Create your own customised muselet with stock coloured wire and plaques. Mix and match any two colours of wire per muselet combined with a single plaque to create your perfect presentation.



Silver
Silver wire. Silver plaque.
Also available in long stick
(100 piece).

WHSSP



Gold
Gold wire. Gold plaque.

WHGG



Dark Gold
Gold wire. Gold plaque.

WHDG



White
White wire. White plaque.

WHWW



Black
Black wire. Black plaque.

WHBBP



Gold / Black
Gold wire. Black plaque.

WHGB



Red / Red
Red wire. Red plaque.

WHRRP



Rose / Rose
Rose pink wire. Rose pink plaque.

WHPP

Pacifix and Valentin Muselets

Grapeworks is the distributor for the Pacifix and Valentin range of high quality muselets. Our off the shelf range of colours can be supplied within any combination of coloured wire. Minimum quantities required, please call for details.

Stock Muselets

High quality durable wire allows for problem free application and removal. The design incorporates a free belt, flush legs for a tight fit around bottle neck.

Boxes of 2,730



Le Muselet Valentin

Custom Designed Muselets

Pacifix and Valentin wire hoods add meticulous detail for presentation.

Compliment your hood and label with a printed and or embossed Muselet.

Options available include:

- Customised plaque printing on front and back
- Embossed, debossed stamping
- Top coat varnish
- Soft touch finish
- Digital print
- Full disc art including sides
- Colour lacquered wire

Small volume runs available.



Custom Designed Hoods

Discover the multiple possibilities of Sparlux Foils.

Hoods offering endless design possibilities to market your brand.

From different textures, full colour printing, range of foil weights, to innovative peel to reveal tear tabs are just some of the options available.



Small and large volume production runs available to meet your needs.



Sparlux Custom Hoods – Styles and Options



Sparlux – Moulded Aluminium Top

High-end heavy weight foils with a rigid aluminium top that eliminates unsightly creases. Available in 3 foil weights: Réserve, Vintage and Grande Cuvée. Top Finishes include: four-color printing, plain or hot foil stamping. Skirt finishes include: hot foil stamping, embossing, interior varnish, Easy-Dizy 2 tab for easy opening.



Premium – Paper Top

The Premium foil makes personalisation affordable, while providing a quality product and a wide range of finishes.

Top finishes include four-color printing, plain or hot foil stamping and skirt finishes include heat stamping, interior varnish, four-color printing. Greenline optional.



Peel to Reveal – The Art of Detail

Extend the consumer experience by having personalised content (text, image, etc.) on the inside of the easy opening.



Touch Line – Textured Finishes

Choose between different standard textures such as diamond and vermicular and pebble embossing. Or stand out with a personalized embossing, it is even possible to integrate a neck label. The newest subtle texture available is JADE, characterized by the fineness of its grain and its woven appearance, to harmonize the label and hood texture.



Soft Touch Experience

An innovation to keep in touch with consumer trends. This range of hoods and muselets has as sensory silky touch that makes you want to hold them. Digital printing, perfect!



Creative Digital

Digital printing technology is the qualitative answer to niche products and limited edition sparkling. You have the ability to ultra-personalization, each cap becomes unique: four-colour printing on the front and back, intense colours, reproducibility of elaborate designs, integration of variable data and more.



The Complete Package

Don't stop at a personalised hood on your sparkling, we have the ability to combine an internal print on the hood, message on the inside of the tear tag and have a matching muselet to really finish the presentation.

Make a lasting impression.

Ensure your next hood is Absolute Green Line manufactured

Absolute Greenline – Environmentally responsible hoods

All Sparlux and Premium hoods are manufactured using bio-based PE and water-based inks reducing CO2 emissions by 80%.



Stock Hoods Made in Australia

Grapeworks has an extensive range of high quality sparkling hoods made in Australia from heavy weight aluminium polylaminate with perforated tear strip & printed tab as standard.

Volume Discounts Apply. Please Call.

All standard colours shown can be custom ordered with:

- A medallion/scallop
- Lengths: 80-120mm
- Narrow taper
- Spot or UV orientation marks



**Medallion/Scallop
Example**



Dark Gold
120mm.
SHSTDDG



Satin Gold
120mm.
SHSTDSG
UV Orientation.
SHUVSG
90mm.
SH90SG



French Embossed Gold
120mm.
SHSTDGFE



Champagne Gold
120mm.
SHSTDCG



Gun Metal
120mm.
SHSTDGREY



Satin Silver
120mm.
SHSTDSS
UV Orientation.
SHUVSS
90mm.
SH90SS



French Embossed Silver
120mm.
SHSTDSE



Pearl White
120mm.
SHSTDPW



White
120mm.
SHSTDBLANCO



Easy to Personalise

Talk to us about customising one of the standard colour hoods with your logo/brand to create a great looking economically priced personalised hood!



Old Gold
120mm.
SHSTDOG



Bronze
120mm.
SHSTDBZ



Satin Pink
120mm.
SHSTDSP



Burgundy
120mm.
SHSTDBGY

Hoods Specifications

- All stock hoods are manufactured with Easy-Dizi 2 for easy opening.
- Tear tabs are hot foil stamped for easy identification.
- Customising available.
- Diamond emboss available on any colours on request.

2,500 units per carton.



Dark Blue
120mm.
SHSTDB



Satin Black
120mm.
SHSTDSB



Matt Black
120mm.
SHSTDMB
UV Orientation.
SHUVMB
90mm.
SH90MB



French Embossed Satin Black
120mm.
SHSTDBFE



Large Format Hoods Matt Black
165mm.
SH3LMB
Large Format Hoods Matt Black
205mm.
SH6LMB

Custom Polylaminate Capsules

Custom made capsules available in heavy weight polylaminate. The choice of finishes offered include blind or inked embossing, printing with matt, gloss and satin colours along with hot foil stamping.



Stock Polylaminate Capsules

High Quality Polylaminate Stock Capsules

Pacifix capsules are resistant to abrasion and spin-on wrinkles. Size: 29.5 x 60mm.



Burgundy
CAPPLPBURG



Red
CAPPLPRED



Bright Red
CAPPLEREDB



White
CAPPLPW



Silver
CAPPLPSILV



Gold
CAPPLPGOLD



**Matt Black with
Gold Stripe**
CAPPLPMBGS



**Matt Black
with 2
Gold Stripes**
CAPPLPMBGSD



Matt Black
CAPPLPBB



Gloss Black
CAPPLPGB



Navy Blue
CAPPLPNB



Metallic Blue
CAPPLPMB

4,608 Per Box.

* < 20,000 ** 21-50,000 > 51,000 POA – Call for quotation.

Custom Tin Capsules



Our premium tin capsules for Wine and Spirits are spray painted to give a depth of colour and high quality finish. Capsules can be custom made with blind or inked embossing and silk screen printing.



Stock Tin Capsules

Premium Quality Tin Capsules

Grapeworks stock Vintacap tin capsules. Made from a single piece of pure tin with no seams, these capsules are highly malleable to your bottle shape. The capsules are spray painted to give a depth of colour and high quality finish.

Available in 29.25mm x 55mm & 31.5mm x 55mm.



Red 29.25 x 55mm
CAPTINRED
3,300 Per Box.



Black 29.25 x 55mm
CAPTINBLK
3,300 Per Box.
Black 31.5 x 55mm
CAPTIN31.5BLK
1,600 Per Box.



Gold 29.25 x 55mm
CAPTINGD
3,300 Per Box.
Gold 31.5 x 55mm
CAPTIN31.5G
1,600 Per Box.

Wine Bottle Waxes

Shellac Sealing Wax

Sincera shellac sealing wax, is perfect for sealing bottle corks. It's easy to remove, does not crumble and can be cut with a knife.

Available in a large range of stock colours and metallics, plus other colours made upon request. Sincera wax is compatible for use with the waxing machines shown below and other devices for the application of wax seals.

Check out the Sincera Wax Sealing machine in action at:

<https://vimeo.com/434543139>

WAXSHELLAC



Bottle Waxing Machinery

Manual Sealing Machine Using Shellac or Sealing Wax

Sincera 1 is the standard one bottle model. The machine, specifically designed for small to medium sized waxing runs. It has a thermostat for temperature regulation; a rotational system so the bottle is in a constant spinning motion during immersion. Both the immersion and emission from the wax container is manual.

Production rate: around 100 BPH. Size range: from 750ml to 6 lt.



Four bottle model and fully automated wax sealer available.

Semi & Fully Automatic Wax Sealing Machines

Sincera 2, two bottle model.

Manual timers allow for both immersion and cooling times and a thermostat maintains the temperature. Size range: from 750ml to 5 lt. Production rate: around 200/250 BPH.



Personalised Brass Stamps

We supply fully personalised brass stamps upon request, with any logo.

WAXSTAMP



SnapMax Vineguards



Pre-Assembled!

- Just press open to install!
- Translucent for vine inspection.
- Multiple lengths available.
- Add the dripper wire strap for extra security on windy sites.
- Add the WeedMat for moisture retention and weed suppression.

Now with an extra 50mm length for ground-wire height variation.
A perfect fit every time!



For further information, contact:
04 390 3577 or email info@grapeworks.co.nz

grapeworks NZ

